Hyundai Motor America 10550 Talbert Avenue, Fountain Valley, CA 92708

HyundaiNews.com

HyundaiUSA.com

MECHANICAL	
Engine Lineup	All Models
Lambda II 3.8L Atkinson Cycle GDI D-CVVT 24-Valve 6-cylinder engine Displacement: 3,778 cc, engine cover	S
Engine Features	3.8L
Hood insulator	S
Block / Head Composition	Aluminum
Horsepower (HP)	291@ 6000
Torque (lb-ft)	262 @ 5200
Bore & Stroke (mm):	96 X 87
Compression Ratio	13.0 : 1
Valvetrain	Dual-CVVT
vaiveirairi	Atkinson-cycle capable
Idle Stop & Go	S
Intake System	Naturally Aspirated
Fuel System	Gasoline Direct Injection (GDI)
Recommended Fuel	Regular Unleaded
Emissions Control System	WCC + UCC / ULEV50
Exhaust	Twin tip, right-hand side

MECHANICAL (cont'd)					
Electrical	All Models				
Ignition system	Туре		Distributorless		
Starter	Rating		12V 2.0Kw (ISG)		
Alternator	Rating		13.5V, 180A		
Transmission and Drive System			SE, SEL, XRT, LTD, Calligraphy	Calligraphy Night Edition	
	FWD		S	-	
Drive configuration & AWD Torque Distribution	HTRAC AWD	Normal 100:0 ~ 50:50	0	S	
C/WD Torque Distribution	active on-demand	AWD Lock 80:20 ~ 50:50	0	S	
Drive Mode Select (Comfort, Eco, Sport, & Smart) (SNOW mode, TOW mode, and AWD Lock on AWD models)	Center-console mounted		S		
	8-speed automatic (A8LF1)		S		
Transmission type	SHIFTRONIC® manual shift mode		S		
	Shift-by-Wire		S		
Gear ratios .			3.8LFWD/AWD		
	1st 2nd 3rd 4th 5th 6th 7th 8th Reverse		4.808 2.901 1.864 1.424 1.219 1.000 0.799 0.648 3.425		
Final gear ratio (FWD / AWD)		3.510 / 3.648			

MECHANICAL (cont'd)					
Brakes		All Models			
Front	Туре	Ventilated Disc			
	Size (diameter, mm) (FWD/AWD)	340 x 30			
Rear	Туре	Solid Disc			
	Size (diameter x thickness, mm) (FWD/AWD)	305 x 11			
ABS with Electronic Brake-force		S			
Distribution (EBD)	Number of Wheels	4			
	Number of Channels	4			
	Number of Sensors	4			
Downhill Brake Control (DBC)	Driver Selectable	AWD Only			
Hillstart Assist Control (HAC)	·	S			
Brake-Booster	10.5"	S			
	Boosting Ratio	10.0 : 1			
Brake Assist		S			
Parking Brake	Туре	Electronic with Auto Vehicle Hold			
Steering		All models			
Motor Driven Power Steering (MDPS) Rack and pinion steering, column-mounted		S			
Overall Ratio		15.6 : 1			
Turns (lock to lock)		2.87			
Turning Diameter (curb to curb, in feet)		38.7			

MECHANICAL (cont'd)				
Suspension		All Models		
Front	Type Stabilizer Bar	MacPherson strut with coil springs S		
Type Rear Stabilizer Bar Self-Leveling suspension		Multi-link Independent, separated spring & shocks S S (Standard on XRT and up)		
Body/Chassis		All Models		
Туре		Unibody (Monocoque body)		
Materials Primary		High strength steel		

SAFETY/SECURITY					
Restraint Systems			ALL		
	seat weight	classification system (OCS) t sensor and seat track sensor			
Airbags	Driver and	front passenger airbag (2)	S		
(front - advanced)	Driver Knee	e Airbag (1)	3		
	Front (2) an	nd 2nd row (2) side impact airbags			
	Side air cur	tains (front and rear passengers) with rollover sensors (2)			
Outboard seatbelts		3-point	S		
Inboard seatbelt/seatbelts (rear)		3-point	S		
Adjustable front-seat shoulder belt anchors		S			
Front seatbelt pretensioners and load limiters		S			
2x LATCH anchors & 3 tethers in 2nd row; 1x LATCH & 2 tethers for 3rd row		S			
Active head restraints			-		
Power window lock-out button			S		
Rear child safety locks			S		
Active Safety			ALL		
Anti-lock braking system (ABS) with 4-wheel disc brakes			S		
Electronic stability control (ESC) with traction control (TCS) and brake assist			S		
Vehicle stability management			S		
Tire pressure monitoring system (TPMS) with individual tire indicator			S		

SAFETY/SECURITY (cont'd)							
Active Safety		SE	SEL	XRT	Limited	Calligraphy	Night Edition
Blind-Spot Collision Warning		S	S	S	S	S	S
Rear Cross-Traffic Collision-Avo	pidance Assist	S	S	S	S	S	S
Parking Distance Warning – Rev	verse	S	S	S	S	S	S
Parking Distance Warning – For	ward and Reverse	-	0	-	S	S	S
Parking Collision-Avoidance Ass	sist - Reverse	-	-	-	-	S	S
D- arr On array Alout	Rear Occupant Alert (door-logic system)	S	-	-	-	-	-
Rear Occupant Alert	Ultrasonic Rear Occupant Alert	-	S	S	S	S	S
Forward Collision-Avoidance As	ssist with Car/Ped/Cyclist Detection & JT	S	S	S	S	S	S
Forward Collision-Avoidance As	ssist with Car/Ped/Cyclist Detection & JT/JC/LO/LS/ESA	-	0	-	S	S	S
Lane Keeping Assist, Lane Follow	wing Assist	S	S	S	S	S	S
Driver Attention Warning		S	S	S	S	S	S
Safe Exit Assist		S	S	S	S	S	S
Highway Driving Assist	HDA I	S	S	S	-	-	-
HIGHWAY DIIVILIA V22121	HDA II	-	0	-	S	S	S
Trailer Sway Control		S	S	S	S	S	S
Passive Safety		SE	SEL	XRT	Limited	Calligraphy	Night Edition
Front crumple zone		S	S	S	S	S	S
2.5-MPH bumpers	2.5-MPH bumpers		S	S	S	S	S
Bodyside reinforcements		S	S	S	S	S	S
Electronic shift lock system	Electronic shift lock system		S	S	S	S	S
Anti-theft system integrated wit	th remote keyless entry and panic alarm	S	S	S	S	S	S
Immobilizer		S	S	S	S	S	S

DIMENSIONS/WEIGHTS/CAPACITIES						
Exterior (inches)	All					
Wheelbase	114.2					
Overall length		196.7				
Overall width		77.8				
Overall height		68.9	68.9			
Track width- 18" & 20" (front)		67.2				
Track width- 18" & 20" (rear)		67.6				
Overhang (front/rear)		37.9 / 4	4.5			
Minimum ground clearance		7.9				
Coefficient of drag (C _D)	0.33					
Roof rails load capacity (lbs.)	220					
Interior (inches)		All				
Head room (front (w/sunroof) / 2 nd row (w/sunroof) / 3 rd row (w/sunroof)		40.7 (39.3) / 40.1 (3	8.8) / 37.8 (37.2)			
Leg room (front / 2 nd row / 3 rd row)	44.1 / 42.4	/ 31.4				
Shoulder room (front / 2 nd row / 3 rd row)		61.2 / 60.8 / 55.2				
Hip room (front / 2 nd row / 3 rd row)		58.1 / 57.7 / 43.7				
Weights ·		7P	8P			
Curb weight FWD/AWD (lbs.)		4,259 - 4,376 / 4,389 - 4,506	4,171 - 4,226 / 4,301 - 4,356			
GVWR FWD/AWD (lbs.)	5,732 / 5,871					
Maximum trailer weight (lbs.)	With trailer brakes	5,000				
Maximum trailer weight (105.)	Without trailer brakes	1,650				

DIMENSIONS/WEIGHTS/CAPA	ACITIES (cont'd)						
Capacities		All					
Fuel tank (gallons)			18.8				
Oil (liters)				6.	9		
Coolant (liters)				4.	9		
Transmission (liters)		7.0					
SAE Volume (cubic feet)- 7P / (8P) model	All					
Total interior volume		173.3					
Passenger interior volume		155.3					
Cargo capacity, behind front seat	S	86.4					
Cargo capacity, behind 2 nd row				45	.8		
Cargo capacity, behind 3 rd row				18	.0		
Fuel Economy / EPA / Perform	ance	SE	SEL	XRT	Limited	Calligraphy	Night Edition
racine continuity / Er A / remonity				3.8LE	ngine		-
Fuel economy	FWD	19/26/22					
City/highway/combined AWD		19/24/21					
Smog score	Smog score		6				
Global warming score (FE/GHG rating) (FWD/AWD)		5/4					